Assessing the strength of community health programming *A new tool for evaluators*

Sarah C. Shelton, MPH, CHES

Center for Tobacco Policy Research Washington University in St. Louis

American Evaluation Association Annual Conference

November 13, 2010






Presentation Overview

- **Background**
- **D**evelopment
- Construct Reliability
- Preliminary Construct Scores
- Utilization


Background

MFH Tobacco Prevention and Cessation Initiative (TPCI)

□ 9-year, \$40M commitment initiated in 2004



TPCI Program Sites, 2005-08




Challenge of TPCI Evaluation

Efforts Outcomes

Development

Constructs




Breadth

Indicators


- Identified indicators to measure Depth and Breadth constructs
 - Quality indicators still under development
- Indicators were range standardized
- Range standardized = (Raw Indicator / Indicator value value

Construct Indicators and Reliability


Construct Indicators



Depth Construct Reliability



Construct Indicators




Breadth Construct Reliability

Mean Inter-Item Correlations = .755

Cronbach's

alpha = .927




Potential Construct Indicators




Preliminary Construct Scores

Depth Construct Scores



Breadth Construct Scores



Utilization

Utilization

Evaluators

- Tool to:
 - Assess extensiveness of programming
 - Link program efforts with outcomes

D Funders

- Identify gaps in activities
- Strategic planning; identify priority funding areas
- Determine where over- or under-funding

Public Health Stakeholders Can be translated to other health issues

Acknowledgements

Center for Tobacco Policy Research

- Bobbi Carothers
- Stephanie Herbers
- Douglas Luke
- Chris Robichaux
- Amy Sorg

Missouri Foundation for Health
Matthew Kuhlenbeck

Contact Information

Sarah Shelton Center for Tobacco Policy Research Washington University in St. Louis 314.935.3723

sshelton@gwbmail.wustl.edu

http://ctpr.wustl.edu