

GEORGE WARREN BROWN SCHOOL OF SOCIAL WORK

Washington University in St. Louis

Assessing the depth, breadth, and quality of community health programming

The Strength of Community Health Programming Index

Caren Bacon
AEA 2013 Annual Meeting
October 18, 2013



Presentation Overview

Introduction

Development

Preliminary Results

Next Steps


Future Use



Introduction



Tobacco Prevention and Cessation Initiative





Strategies





Community Grants

- In-person cessation
- Smokefree policies
- Youth education




Quitline Enhancement

Tobacco Policy Change





Grantee Sites





Evaluation






Development




Strength of Community Health Programming Index






Depth Construct





Breadth Construct





Scoring - Depth & Breadth

September 2013 Material & Media Published/Aired Staff and **Partnerships** Policy Site Systems Summary Volunteers Development Media Messages Change Change Data Change Site: Activity Type: Capacity Building @ | Education @ | Advocacy @ | Cessation @

- Place a check mark next to each cessation activity you conducted for Mark Twain Elementary School this month.
- · Enter number of units where indicated.

	Cessation Activity	Number of Units
]	Distributed cessation materials (e.g., cessation program workbook, tips for quitting)	persons
]	Referred employees to outside cessation services (e.g., Missouri Tobacco Quitline)	50 persons
	Provided free nicotine replacement therapy	persons
]	Provided subsidized nicotine replacement therapy	persons
	Conducted cessation classes	total persons ② unique persons ② hours ②
	Conducted carbon monoxide tests	persons
7	Pursued cessation-related systems change (e.g., hospital/clinic-wide tobacco-user identification system)	
	Other cessation activity	



Quality Construct





Scoring - Quality

- Challenge of using retrospective data
- Use of grantee documents
- Introduction of subjectivity





Scoring - Quality





Preliminary Construct Scores




Construct Score Calculation

Indicators were range standardized

All values are now on a scale of 0 to 1




Preliminary Depth Construct Scores






Preliminary Breadth Construct Scores






Preliminary Quality Construct Scores





Preliminary Construct Scores -**County Examples**



Depth: 0.03

Breadth: 0.02

Quality: 0.65

Sample of Activities in the County

- 1 active grant in the county
- Freedom from Smoking Clinics
- Teens Against Tobacco Use programs

Depth: 0.75

Breadth: 0.83

Quality: 0.63


Sample of Activities in the County

- 5 active grants in the county
- **Tobacco Policy Awareness Activities**
- Freedom from Smoking Clinics
- Teens Against Tobacco Use programs

Next Steps



Next Steps for SCHPI



Future Use



Future use of SCHPI





Co-Authors

Sarah Shelton, MPH

Center for Public Health Systems Science, Washington University in St. Louis

Haley Herr

Center for Public Health Systems Science, Washington University in St. Louis

Bobbi J Carothers, PhD

Center for Public Health Systems Science, Washington University in St. Louis

Julianne Cyr, MPH

University of North Carolina at Chapel Hill

Lindsay Ruhr, MSW, MPPA

Center for Public Health Systems Science, Washington University in St. Louis



Funding

Funding for this study was provided in whole by the Missouri Foundation for Health. Founded in 2000, MFH is an independent nonprofit organization and the largest nongovernmental funder of community health activities for the state. Having provided nearly \$350 million in funding to date, MFH and its programs and grants support activities that improve the health of Missouri's citizens, particularly the uninsured and underserved populations.

Funding provided by



SCHOOL OF SOCIAL WORK

Questions?

Caren Bacon, MPH

Phone: 314-935-3746

Email: cbacon@brownschool.wustl.edu